

# Specification of MEMS Microphone

(RoHS Compliance & Halogen Free)

**Customer Name:** 

**Customer Model:** 

GoerTek Model: S12OT421-012

	GoerTek		CUSTOMER APPROVAL
	laaan	0040.0.00	
<u>DESIGN</u>	Jasen	2019.6.20	
CHKD	Samual Sweety	2019.6.20	
STANDARD		2019.6.20	
<u>APVD</u>	Daniel	2019.6.20	

Tel: +86 536 3051234 E- Mail: goertek@goertek.com Website: http://www.goertek.com

Address: No.268 Dongfang Road, High-Tech Industry Development District, Weifang, Shandong, P.R.C.



# Restricted

# 1 Security Warning

The information contained in this document is the exclusive property of GoerTek Inc. and should not be disclosed to any third party without the written consent of GoerTek Inc.

## 2 Publication History

		-		
Version	Date	Description	Author	Approved
1.0	2019.6.4	New Design	Jasen	Daniel
2.0	2019.6.20	Update the Appearance Drawing	Samual	Daniel
3.0	2019.7.25	Update Frenquency Response Curve	Samual	Daniel
	l			



# Contents

1	Introduction	4
2	Test Condition	4
3	Electrical Characteristics	4
4	Frequency Response Curve	4
5	Measurement Circuit	5
6	Test Setup Drawing	5
7	Mechanical Characteristics ————————————————————————————————————	6
	7.1 Appearance Drawing ————————————————————————————————————	6
	7.2 Weight ————————————————————————————————————	6
8	Reliability Test	7
	8.1 Vibration Test	7
	8.2 Drop Test ————————————————————————————————————	7
	8.3 Temperature Test	7
	8.4 Humidity Test	7
	8.5 Mechanical Shock Test ————————————————————————————————————	7
	8.6 Thermal Shock Test	7
	8.7 Reflow Test ————————————————————————————————————	7
	8.8 Electrostatic Discharge Test ————————————————————————————————————	7
9	Package	8
	9.1 Tape Specification — — — — — — — — — — — — — — — — — — —	8
	9.2 Reel Dimension ————————————————————————————————————	9
	9.3 The Content of Box ———————————————————————————————————	9
	9.4 Packing Explain ————————————————————————————————————	10
10	Storage and Transportation	10
	Land Pattern Recommendation ————————————	11
	11.1 The Pattern of MIC Pad ———————————————————————————————————	11
	11.2 Recommended Soldering Surface Land Pattern ————————————————————————————————————	11
12	Soldering Recommendation ———————————————————————	12
	12.1 Soldering Machine Condition ————————————————————————————————————	12
	12.2 The Drawing and Dimension of Nozzle ———————————————————————————————————	12
	12.3 Reflow Profile ————————————————————————————————————	13
	12.4 Rework	14
13	3 Cautions	14
	13.1 Board Wash Restrictions ————————————————————————————————————	14
	13.2 Nozzle Restrictions ————————————————————————————————————	14
	13.3 Blowing Restrictions — — — — — — — — — — — — — — — — — — —	14
	13.4 Ultrasonic Restrictions ————————————————————————————————————	14
	13.5 Case Adaption to Pressure Restrictions ————————————————————————————————————	14
14	Output Inspection Standard ———————————————————————————————————	14



## 1 Introduction:

MEMS MIC which is able to endure reflow temperature up to 260  $^{\circ}$ C for 50 seconds can be used in SMT process. It is widely used in telecommunication and electronics device such as mobile phone, MP3, PDAs etc.


# 2 Test Condition (Vs=2.0V,L=50cm)

StandardConditions (As IEC 60268-4)	Temperature	Humidity	Air pressure
Environment Conditions	+15℃~+35℃	25%RH~75%RH	86kPa∼106kPa
Basic Test Conditions	+20±2℃	60%RH~70%RH	86kPa∼106kPa

#### 3 Electrical Characteristics


Item	Symbol	Test Conditions	Min	Тур	Max	Unit
Sensitivity	S	f=1kHz, Pin=1Pa	-43	-42	-41	dB
Output Impedance	Zout	f=1kHz, Pin=1Pa			400	Ω
Directivity	D(θ)		Omnidirectional			
Current Consumption	ı		50		150	μΑ
S/N Ratio	S/N(A)	f=1kHz, Pin=1Pa A-Weighted		59		dB
Decreasing Voltage Characteristic	△S	f=1kHz, Pin=1Pa Vs=3.61.5V		No C	hange	
Operating Voltage Range	Vs		1.5		3.6	٧
Total Harmonic Distortion	THD	110dB SPL@ f=1kHz			1	%

# **4 Frequency Response Curve Limits**






#### **5 Measurement Circuit**




## 6 Test Setup Drawing





### 7 Mechanical Characteristics

#### 7.1 Appearance Drawing (Unit: mm)



Piı	Pin Output		
Pin#	Function		
1	Power		
2	GND		
3	GND		
4	Output		

Item	Dimension	Tol.(±)	Units
Length	3.76	0.1	mm
Width	2.24	0.1	mm
Height	1.1	0.1	mm
AP (Acoustic port)	0.5	0.1	mm

Note: 1. Tolerance ±0.10mm unless otherwise specified.

2. Identification Number Convention: Job Identification Number.

Identification Number

O	W	W	D	l
Υ	L	L	L	l

Y:Year

G: GoerTek www:Week D:Day L L L: Lot Number

2D Code

#### 7.2 Weight

The weight of the MIC is Less than 0.04g.




# 8 Reliability

8.1 Vibration Test	To be no interference in operation after vibrations, 4 cycles, from 20 to 2,000Hz in each direction(X,Y,Z), 48 minutes, using peak acceleration of 20g, sensitivity should vary within $\pm 3$ dB from initial sensitivity. (The measurement to be done after 2 hours of conditioning at $\pm 15^{\circ}$ C $\pm 435^{\circ}$ C, R.H $\pm 25\%$ C 75%)
8.2 Drop Test	To be no interference in operation after dropped to 1.0cm steel plate 18 times from 1.5 meter height, sensitivity should vary within $\pm 3$ dB from initial sensitivity. (The measurement to be done after 2 hours of conditioning at $\pm 15^{\circ}$ C $\sim \pm 35^{\circ}$ C, R.H 25% $\sim 75\%$ )
8.3 Temperature Test	a) After exposure at +125°C for 200 hours, sensitivity should vary within ±3dB from initial sensitivity.  (The measurement to be done after 2 hours of conditioning at +15°C∼+35°C, R.H 25%∼75%)  b) After exposure at -40°C for 200 hours, sensitivity should vary within ±3dB from initial sensitivity.  (The measurement to be done after 2 hours of conditioning at +15°C∼+35°C, R.H 25%∼75%)
8.4 Humidity Test	After exposure at +85 °C and 85% relative humidity for 200 hours, sensitivity should vary within ±3dB from initial sensitivity.  (The measurement to be done after 2 hours of conditioning at +15 °C ∼+35 °C, R.H 25% ∼75%)
8.5 Mechanical Shock Test	Then subject samples to three one-half sine shock pulses (3000 g for 0.3 milliseconds) in each direction (for six axes in total) along each of the three mutually perpendicular axes for a total of 18 shocks, sensitivity should vary within $\pm 3$ dB from initial sensitivity. (The measurement to be done after 2 hours of conditioning at $\pm 15^{\circ}$ C $\pm 35^{\circ}$ C, R.H $\pm 25^{\circ}$ C $\pm 35^{\circ}$ C)
8.6 Thermal Shock Test	After exposure at -40 $^{\circ}$ C for 30 minutes, at +125 $^{\circ}$ C for 30 minutes (change time 20 seconds) 5 cycles, sensitivity should vary within ±3dB from initial sensitivity. (The measurement to be done after 2 hours of conditioning at +15 $^{\circ}$ C $^{\circ}$ +35 $^{\circ}$ C, R.H 25% $^{\circ}$ 75%)
8.7 Reflow Test	Adopt the reflow curve of item 12.3, after five reflows, sensitivity should vary within $\pm 2dB$ from initial sensitivity. (The measurement to be done after 2 hours of conditioning at $\pm 15^{\circ}$ C $\pm 435^{\circ}$ C, R.H $\pm 25\%$ C $\pm 75\%$ )
8.8 Electrostatic Discharge Test	Under C=150pF, R=330ohm. Tested to ±8KV contact to the case and tested to ±2kV contact to I/O terminals.10 times. Grounding. Sensitivity should vary within ±2dB from initial sensitivity.



# 9 Package

## 9.1 Tape Specification



# The Dimensions as Follows:

ITEM	W	E	F	ØD0	ØD1
DIM(mm)	12.0±0.30	1.75±0.10	5.5±0.05	1.50-0.10	1.0 MIN
ITEM	P0	10P0	P1	A0	В0
DIM(mm)	4.00±0.10	40.00±0.20	8.00±0.10	4.10±0.10	2.60±0.10
ITEM	K0	P2	Т		
DIM(mm)	1.35±0.10	2.00±0.05	0.30±0.05		




#### 9.2 Reel Dimension

7" reel for sample stage

13" reel will be provided for the mass production stage


The following is 13" reel dimensions (unit:mm)




#### 9.3 The Content of Box(13" reel)




Packing (4,000PCS)



Inner Box(20,000PCS) (340mm×135mm×355mm)




Two Inner Box(40,000PCS)




Outer Box(40,000PCS) (370mm×300mm×390mm)



#### 9.4 Packing Explain






## 10 Storage and Transportation

- 10.1 Keep MEMS MIC in warehouse with less than 75% humidity and without sudden temperature change, acid air, any other harmful air or strong magnetic field. Recommend storage period no more than 1 year and floor life(out of bag) at factory no more than 4 weeks.
- 10.2 The MEMS MIC with normal pack can be transported by ordinary conveyances. Please protect products against moist, shock, sunburn and pressure during transportation.
- 10.3 Storage Temperature Range :  $-40^{\circ}\text{C} \sim +70^{\circ}\text{C}$  (Microphone units with package)
- 10.4 Operating Temperature Range: -40°C∼+100°C




## 11 Land Pattern Recommendation

## 11.1 The Pattern of MIC Pad(Unit:mm)



## 11.2 Recommended Soldering Surface Land Pattern






# 12 Soldering Recommendation

#### 12.1 Soldering Machine Condition


Temperature Control	8 zones
Heater Type	Hot Air
Solder Type	Lead-free

#### 12.2 The Drawing and Dimension of Nozzle





#### 12.3 Reflow Profile



#### **Key Features of The Profile:**

Average Ramp-up rate(T <sub>smax</sub> to T <sub>p</sub> )	3℃/s max.
Preheat : Temperature $Min(T_{smin})$ Temperature $Max(T_{smax})$ Time $(T_{smin}$ to $T_{smax})(t_s)$	150℃ 200℃ 60~180s
Time maintained above :	217℃ 60~150s
Peak Temperature(T <sub>p</sub> )	260℃
Time within $5^{\circ}\!$	30~40s
Ramp-down rate(T <sub>p</sub> to T <sub>smax</sub> )	6℃/s max
Time 25℃ to Peak Temperature	8min max

When MEMS MIC is soldered on PCB, the reflow profile is set according to solder paste and the thickness of PCB etc.



#### 12.4 Rework

- (1) 250°C~270°C, maximum 30 sec, Peak temperature 330°C.
- (2) Wind speed: 15L/m.
- (3) It is very important not to put a heatgun over the acoustic port of the microphone.

#### 13 Cautions

#### 13.1 Board Wash Restrictions

It is very important not to wash the PCBA after reflow process, otherwise this could damage the microphone.

#### 13.2 Nozzle Restrictions

It is very important not to be put a nozzle over the acoustic hole of the microphone, otherwise this could damage the microphone.

#### 13.3 Blowing Restrictions

It is very important not to blow the acoustic port of the microphone directly, otherwise this could damage the microphone.

#### 13.4 Ultrasonic Restrictions

It is very important not to use ultrasonic process. otherwise this could damage the microphone.

#### 13.5 Case Adaption to Pressure Restrictions

It is very important not to press the case with a force larger than 2.5kgf, otherwise this would damage the microphone.

## 14 Output Inspection Standard

Output inspection standard is executed according to <<ISO2859-1:1999>>.